



Design  
Supply  
Support

Door Intercom  
Installation Accessories

## 382210

### Single Height Gooseneck Intercom Stand - Car Height

The 382210 is a robust and reliable Gooseneck Mounting Post for a single Intercom or Access Reader device at car/ pedestrian height.

Specifically tailored for use with the Akuvox and 2N intercom Weather Security Housings, when used in conjunction with adaptor plates listed below.

This single height Gooseneck Post positions the intercom device at 108cm\* and is manufactured in highly durable powder-coated steel.

- Helps to provide fast and efficient transport barrier access and exit
- High quality durable gooseneck post
- Mounts a single Intercom at car/ pedestrian access height
- Mounting position height at 108cm\*
- All connection cabling routed inside post



Find out more:



(\*Centre of cable entry position)

## 382220

### Dual Height Gooseneck Intercom Post - Car & Lorry Height

The 382220 is a robust and reliable Gooseneck Mounting Post for two Intercom or Access Reader devices at car and lorry height.

Specifically tailored for use with the Akuvox and 2N intercom Weather Security Housings, when used in conjunction with adaptor plates listed below.

This dual height Gooseneck Post positions the intercom devices at 109cm\* and 192cm\* and is manufactured in highly durable powder-coated steel.

- Helps to provide fast and efficient transport barrier access and exit
- High quality durable gooseneck post
- Mounts two Intercom devices at car/ pedestrian and lorry access height
- Mounting position heights at 109cm\* & 192cm\*
- All connection cabling routed inside post



Find out more:



(\*Centre of cable entry position)

## Gooseneck Intercom Post Adaptor Plates

<b>381318GBP</b>	Gooseneck Backplate for Akuvox E18C Weather & Security Housing
<b>R20GBP</b>	Gooseneck Backplate for Akuvox R20A, R20K, A05, E16 & E21 Weather & Security Housing
<b>382912GBP</b>	Gooseneck Backplate for Akuvox X912 Weather & Security Housing
<b>382915GBP</b>	Gooseneck Backplate for Akuvox X915 Weather & Security Housing
<b>382401GBP</b>	Gooseneck Backplate for 2N Solo/Access Weather & Security Housing
<b>382403GBP</b>	Gooseneck Backplate for 2N Verso Weather & Security Housing - 3 Module (Surface mount but requires Flush frame)
<b>382402GBP</b>	Gooseneck Backplate for 2N Verso Weather & Security Housing - 2 Module



## Akuvox X912

Vandal-Resistant SIP Video Intercom  
Digital Keypad, Face Recognition,  
Bluetooth, RFID & QR Code

Find out more:



## X912 Installation Accessories:



### 382912

#### X912 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X912 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### X912FL

#### X912 Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the Akuvox X912 smart IP intercom into brick, plaster, block walls, etc.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 382912GBP

#### Gooseneck Backplate for X912 Weather and Security Housing

Backplate adaptor to attach X912 intercom weather and security housing onto gooseneck stands.



## Akuvox S539

IP 10" Touchscreen Smart Door Intercom with Face Recognition, QR Code, RFID, RFID, BLE - IK08

Find out more:



## S539 Installation Accessories:



### S539FMRC

#### S539 IP Intercom Flush Mount Rain Cover

Designed for flush-mounting, this rainhood provides additional protection for the Akuvox S539 intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### S539WMRC

#### S539 IP Intercom Surface Mount Rain Cover

Designed for surface-mounting, this rainhood housing provides additional protection for the Akuvox S539 intercom from inclement weather and provides glare reduction for the intercoms' camera in bright sunlight.



### S539FM

#### S539 IP Intercom Flush Mount Kit

Provides a secure flush-mount system for the Akuvox S539 IP intercom into brick, plaster, block walls etc.



### S539WM

#### S539 IP Intercom Surface Mount Kit

Provides a secure surface-mount system for the Akuvox S539 IP intercom onto brick, plaster, block walls etc.



## Akuvox X915

IP Touchscreen Smart Door Intercom Unit with Face Recognition, QR Code, RFID, BLE

Find out more:



## X915 Installation Accessories:



### 382915

#### X915 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox X915 Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### X915XS

#### Surface Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure surface-mount system for the Akuvox X915 smart IP intercom to brick, plaster, block walls, etc.



### X915XF

#### Flush Mount Backbox for X915 Touchscreen IP Intercom

Provides a secure flush-mount system for the Akuvox X915 smart IP intercom into brick, plaster, block walls, etc.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 382915GBP

#### Gooseneck Backplate for X915

Backplate adaptor to attach X915 intercom weather and security housing onto gooseneck stands.



## Akuvox R29 Series

IP Touchscreen Door Intercom with  
Digital Keypad, Camera

Find out more:



## R29 Installation Accessories:



### R29XRH

#### R29 Intercom Rain Hood

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R29 Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R29XF

#### R29 Intercom Flush Mounting Back Box

Designed for use with the Akuvox R29 Series of smart IP Door Intercoms to allow flush mounting in brick, concrete block or plasterboard in-wall installation.



### R29XS

#### R29 Intercom Surface Mounting Kit

Provides a secure surface-mount system for the Akuvox R29 Series of IP intercoms onto brick, plaster, block walls etc.





## Akuvox R28A

IP Door Intercom Unit with Colour Display Screen, Numeric Keypad, Camera, RFID - IP65

Find out more:



## R28 Installation Accessories:



### R27R28XFRH

#### R28 Intercom Rainhood Flush Mount

Designed for flush-mounting, this rainhood provides additional protection for the Akuvox R28A intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R27RH

#### R28 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R28A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R27R28XF

#### Flush Mounting Back Box for Akuvox R28 Door Intercom

Provides a secure flush-mount system for the Akuvox R28A IP intercom into brick, plaster, block walls etc.



### R27R28XS

#### Surface Mounting Back Box for Akuvox R28 Door Intercom

Provides a secure surface-mount system for the Akuvox R28A IP intercom onto brick, plaster, block walls etc.



## Akuvox R27A

IP Door Intercom with Colour Camera,  
Keypad & RFID Card Reader

Find out more:



## R27 Installation Accessories:



### R27R28XFRH

#### R27 Intercom Rainhood Flush Mount

Designed for flush-mounting, this rainhood provides additional protection for the Akuvox R27A intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R27RH

#### R27 Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R27A Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R27R28XF

#### Flush Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure flush-mount system for the Akuvox R27A IP intercom into brick, plaster, block walls etc.



### R27R28XS

#### Surface Mounting Back Box for Akuvox R27 Door Intercoms

Provides a secure surface-mount system for the Auvox R27A IP intercom onto brick, plaster, block walls etc.





## Akuvox E18C

IP Access Control Unit & SIP Intercom,  
Touchscreen, Face Recognition,  
Bluetooth, RFID & QR Code

Find out more:



## E18 Installation Accessories:



### 381318

#### E18 Intercom Weather and Security Housing

Designed for surface-mounting, this rainhood housing provides additional protection for the Akuvox E18C intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 381318GBP Gooseneck Backplate for E18 Intercom

Backplate adaptor to attach E18C intercom weather and security housing onto gooseneck stands.



## Akuvox E16C

IP Access Control Unit & SIP Intercom,  
Touchscreen, Face Recognition,  
Bluetooth, RFID & QR Code

Find out more:



## E16 Installation Accessories:



### E16-A05H

#### E16 Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox E16C Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### E16-A05W

#### E16 Intercom In-Wall Weather and Security Housing

Designed for in-wall mounting, this rainhood housing provides additional protection for the Akuvox E16C Intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.




### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP Gooseneck Backplate for E16 Door Intercom

Backplate adaptor to attach E16C intercom weather and security housing onto gooseneck stands.



## Akuvox A05 Series

IP Access Control Reader with Face Recognition, Bluetooth, RFID & QR Code Reader

Find out more:



## A05 Installation Accessories:



### E16-A05H

#### A05 Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox A05 Access Reader from inclement weather and provides glare reduction for the reader's camera in bright sunlight.



### E16-A05W

#### A05 Intercom In-Wall Weather and Security Housing

Designed for in-wall mounting, this rainhood housing provides additional protection for the Akuvox A05 Access Reader from inclement weather and provides glare reduction for the Reader's camera in bright sunlight.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP A05 Access Reader Gooseneck Backplate

Backplate adaptor to attach A05 intercom weather and security housing onto gooseneck stands.



## Akuvox R20A Series

Compact IP Door Intercom Unit with 1 Call Button (Video & RFID Card reader)

Find out more:



## R20A Installation Accessories:



### R20AH

#### R20A Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20A Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20A intercom weather and security housing onto gooseneck stands.



## Akuvox R20B Series

Compact IP Door Intercom Unit with Call Buttons

Find out more:



## R20B Installation Accessories:



### R20KH

#### R20B Intercom Weather and Security Housing

Designed for wall-mounting or stand-alone gooseneck pole mounts, this housing provides additional protection for the Akuvox R20B Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R20KFBB

#### Flush Mount Backbox for R20B Door Intercoms

Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20B intercom weather and security housing onto gooseneck stands.



## Akuvox R20K

Compact IP Door Intercom Unit with Keypad (Video & Card reader)

Find out more:



## R20K Installation Accessories:



### R20KH

#### R20K Intercom Weather and Security Housing

Designed for wall-mounting, this rainhood housing provides additional protection for the Akuvox R20K Intercoms from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### R20KFBB

#### Flush Mount Backbox for R20K Door Intercom

Kit includes flush-mounting steel back box, aluminium alloy front plate and fitting accessories. Allows the intercom unit to be flush mounted into brick, block, plasterboard, etc.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP Gooseneck Backplate for R20 Series Door Intercom

Backplate adaptor to attach R20K intercom weather and security housing onto gooseneck stands.





## Akuvox E21 Series

### Vandal-Resistant IP Door Intercom

Find out more:



## E21 Installation Accessories:



### E21H

#### E21 Intercom Weather & Security Housing, Black

Designed for external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather.



### E21E

#### E21 Intercom Weather & Security Housing, Emergency Orange

Designed for surface-mount, internal & external wall-mounting, this housing provides additional protection for the Akuvox E21 Intercoms from inclement weather and harsh environments. Bright orange for high visibility/emergency applications.



### E21XF

#### Flush Mounting Back Box for Akuvox E21 Door Intercoms

Provides a secure surface-mount system for the Akuvox E21 series of IP intercoms onto brick, plaster, blockwalls, etc.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### R20GBP

#### Gooseneck Backplate for E21 Door Intercom

Backplate adaptor to attach E21 intercom weather and security housing onto gooseneck stands.






## Akuvox S567W

10" IP Indoor Touchscreen  
Answering Panel with WiFi &  
Bluetooth

Find out more:



## S567 Installation Accessories:



### ITC567

#### Desk Stand for S567

Desktop stand for positioning S567W Answering Panel on horizontal surfaces such as a desk or table.




## Akuvox S563W

8" IP Indoor Touchscreen Answering Panel with WiFi & Bluetooth

Find out more:



## S563 Installation Accessories:



### **ITC563**

#### **Desk Stand for S563**

Desktop stand for positioning S563W Answering Panel on horizontal surfaces such as a desk or table.



## Akuvox S562W

7" IP Indoor Touchscreen Answering  
Panel with WiFi & Bluetooth

Find out more:



## S562 Installation Accessories:



### **ITC562**

#### **Desk Stand for S562**

Desktop stand for positioning S562W Answering Panel on horizontal surfaces such as a desk or table.



## Akuvox C319 Series

10" IP Indoor Touchscreen Intercom  
Answering Panel, Android 9.0

Find out more:



## C319 Installation Accessories:



### ITC10

#### Desk Stand for Akuvox C319

Brushed steel desktop stand with a rubber foot for the Akuvox C319 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.



## Akuvox C317 Series

10" IP Indoor Touchscreen Answering Panel

Find out more:



## C317 Installation Accessories:



### ITC10

#### Desk Stand for Akuvox C317

Brushed steel desktop stand with a rubber foot for the Akuvox C317 door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.



## Akuvox IT83 Series

10" IP Indoor Touchscreen Intercom  
Answering Panel

Find out more:



## IT83 Installation Accessories:



### ITC10

#### Desk Stand for Akuvox IT83

Brushed steel desktop stand with a rubber foot for the Akuvox IT83 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.



## Akuvox X933 Series

7" Touchscreen Door Intercom  
Answering Panel, Wifi and  
Bluetooth

Find out more:



## X933 Installation Accessories:



### ITC10

#### Desk Stand for Akuvox X933

Brushed steel desktop stand with a rubber foot for the Akuvox X933 range of door intercom answering panels. The ITC10 stand is an elegant and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.







## Akuvox C315

7" IP Indoor Touchscreen Intercom  
Answering Panel

Find out more:



## C315 Installation Accessories:



### ITC7

#### Desk Stand for Akuvox C315

Steel desktop stand, finished in black for the Akuvox C315 range of door intercom answering panels. The ITC7 stand is a simple and practical solution for positioning an answering panel on any horizontal surface such as a desk or table.



## 2N IP Style Series

IP Style - Digital Touchscreen Door Intercom with Bluetooth and RFID

Find out more:



## IP Style Installation Accessories:



### 9157001

#### IP Style Intercom Flush Mounting Back Box

Provides a secure flush-mount system for the 2N IP Style IP intercom into brick, plaster, block walls etc.



### 9157002

#### IP Style Intercom Surface Mounting Back Box


Provides a secure surface-mount system for the 2N IP Style IP intercom onto brick, plaster, block walls etc.



### 9157003

#### IP Style Intercom Antibacterial Screen Cover

Providing even greater customer confidence for door entry and access in high traffic areas, this antibacterial screen can be quickly and easily added to pre-installed 2N IP Style devices, providing up to 99% antibacterial protection for the touchscreen interface.



## 2N IP Verso 2 Module Series

IP Verso Modular Door Intercom

Find out more:



## IP Verso 2 Module Installation Accessories:



### 382402

#### Verso Intercom Weather & Security Housing - 2 Module

Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercoms camera in bright sunlight. (Requires/compatible with 9155012B).



### 9155012B (Black) / 9155012 (Nickel)

#### IP Verso Door Intercom / Access Unit - Flush Installation Frame - 2 Module

The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.



### 9155022B (Black) / 9155022 (Nickel)

#### IP Verso Door Intercom / Access Unit - Surface Installation Frame - 2 Module

The 2N 9155012 2-Module Frame can be used with either a Verso Basic Main Unit or with 2 x Additional Function Modules.



### 9155072

#### Verso Door Intercom Wedge Angled Backplate for 2 Modules

The 9155072 is an angled surface-mounting backplate for the 2N Verso range of modular IP and LTE Intercoms.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height


Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 382402GBP

#### Verso Gooseneck Back Plate - 2 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands.



## 2N IP Verso 3 Module Series

IP Verso Modular Door Intercom

Find out more:



## IP Verso 3 Module Installation Accessories:



### 382403

#### Verso Intercom Weather & Security Housing - 3 Module

Designed for surface-mounting, this rainhood housing provides additional protection for the 2N IP Verso intercom from inclement weather and provides glare reduction for the intercoms camera in bright sunlight. (Requires flush-mounting frame 9155013B).



### 9155013B (Black) / 9155013 (Nickel)

#### IP Verso Door Intercom / Access Unit - Flush Installation Frame Black -3 Module

The 2N 9155013 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additional Module or with 3 x Additional Function Modules.



### 9155023B (Black) / 9155023 (Nickel)

#### IP Verso Door Intercom / Access Unit - Surface Installation Frame -3 Module

The 2N 9155023 3-Module Frame can be used with either a Verso Basic Main Unit + 1 additional Module or with 3 x Additional Function Modules.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 382403GBP

#### Verso Gooseneck Back Plate - 3 Module

Backplate adaptor to attach Verso intercom weather and security housing onto gooseneck stands.



## 2N IP Solo Series

### IP Solo Door Intercom Unit

Find out more:



## IP Solo Installation Accessories:



### 382401

#### Solo Weather & Security Housing

Designed for flush-mounting, this rainhood provides additional protection for the 2N IP Solo intercom from inclement weather and provides glare reduction for the intercom's camera in bright sunlight.



### 9155071

#### Solo Angled Wedge Backplate

The 9155071 is an angled surface-mounting backplate for the 2N Solo range of compact IP Intercoms.



### 9155074

#### Solo Intercom Glass Mount

With this glass mount, you can easily mount the 2N IP Solo intercom on a glass surface.



### 382210

#### Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220

#### Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 382401GBP

#### Gooseneck Back Plate

Backplate adaptor to attach IP Solo weather and security housing onto gooseneck stands.



## 2N IP Force Series

IP Force Vandal Resistant Door Intercom Unit

Find out more:



## IP Force Installation Accessories:



### 9151005 Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 9151007 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.





## 2N IP Safety Series

IP Safety Door Intercom Units in high visibility orange

Find out more:



## IP Safety Installation Accessories:

### 9151005 Single Height Gooseneck Intercom Stand - Car Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.



### 382210 Single Height Gooseneck Intercom Stand - Car Height

Car height intercom stand for access control keypads, readers and door entry panels. Finished in black to complement gate and other access areas.



### 382220 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Dual height mounting post ideal for mounting access control keypads, readers and door entry panels at entrances to lorry parks, distribution centres, or logistics zones.



### 9151007 Dual Height Gooseneck Intercom Stand - Car & Lorry Height

Designed for use with the 2N range of Force and Safety intercoms; however, this mounting post can also be used with other 2N and Akuvox Intercoms with modifications to the intercom unit's mounting plate.





3 Widdowson Close  
Blenheim Ind Est  
Bulwell  
Nottingham  
NG6 8WB

[info@cie-group.com](mailto:info@cie-group.com)  
0115 9770075